

SPRAY AND WIPE TRIGGER CONCENTRATE POUCH

Page: 1 Compilation date: 13/06/2014 Revision date: 26/06/2015

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SPRAY AND WIPE TRIGGER CONCENTRATE POUCH Product code: JMS00005POUCH

Synonyms: BS EN 1276 SANITISER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name:JMS Janitorial SuppliesUnit 8, Astra Business CentreBonehurst RoadSalfordsSurreyRH1 5TLTel:01293783650Fax:01293820863Email:sales@jmsdirect.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319

Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Label elements:	
Hazard statements:	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
Signal words:	Warning
Hazard pictograms:	GHS07: Exclamation mark
	^

Precautionary statements: P264: Wash hands thoroughly after handling.

SPRAY AND WIPE TRIGGER CONCENTRATE POUCH

Page: 2

P280: Wear eye protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P363: Wash contaminated clothing before reuse.

P281: Use personal protective equipment as required.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALCOHOL ETHOXYLATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68439-46-3	-	Eye Dam. 1: H318	10-30%

TRISODIUM NITRILOTRIACETATE 38.5% SOLUTION

225-768-6	5064-31-3	-	-	1-10%

DIDECYLDIMETHYL AMMONIUM CHLORIDE

-	-	-	-	1-10%

FRAGRANCE

-	-	-	-	1-10%
AMINE OXIDE				

_

PROPAN-2-OL	

200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-10%	
			STOT SE 3: H336		

Contains: Colour

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash
	immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist
	examination.
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water
	to drink immediately. Consult a doctor.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so.

SPRAY AND WIPE TRIGGER CONCENTRATE POUCH

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

SPRAY AND WIPE TRIGGER CONCENTRATE POUCH

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

AMINE OXIDE

Workplace ex	posure limits:	I	Respirable dust	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	400ppm	500	-	-
LI	1	L. C.		

PROPAN-2-OL

UK 999 mg/m3 1250 mg/m3	
-------------------------	--

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Turquoise		
Odour:	Pleasant Floral		
Solubility in water:	Highly soluble		
Viscosity:	Non-viscous		
Boiling point/range°C:	95	Flash point°C: >9)3
pH:	9.5		

SPRAY AND WIPE TRIGGER CONCENTRATE POUCH

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALCOHOL ETHOXYLATE

ORL RAT LD50 200 - 2000 mg/kg

TRISODIUM NITRILOTRIACETATE 38.5% SOLUTION

	ORL	RAT	LD50	>2000	ml/kg
--	-----	-----	------	-------	-------

DIDECYLDIMETHYL AMMONIUM CHLORIDE

ORL RAT LD50 >2000 mg/kg

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg

SPRAY AND WIPE TRIGGER CONCENTRATE POUCH

Page: 6

ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe
	pain. The vision may become blurred. May cause permanent damage.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
olavad / immodiate offects:	Immediate offects can be expected after short term expecture

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALCOHOL ETHOXYLATE

-	48H EC50	1 - 10	mg/l
-	96H LC50	1 - 10	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

SPRAY AND WIPE TRIGGER CONCENTRATE POUCH

F 13.1. Waste treatment methods		
13.1. Waste treatment methods	Page:	7
Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal		
company.		
NB: The user's attention is drawn to the possible existence of regional or national		
regulations regarding disposal.		
Section 14: Transport information		
14.1. UN number		
		_
UN number: Not Regulated		-
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		1
		-
14.4. Packing group		
14.5. Environmental hazards		1
		-
Environmentally hazardous: No Marine pollutant: No		-
14.6. Special precautions for user		
Special precautions: No special precautions.		
Section 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
15.2. Chemical Safety Assessment		1
Section 16: Other information		
Other information		1
Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No		
453/2010.		
* indicates text in the SDS which has changed since the last revision.		
Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.		
Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour. H315: Causes skin irritation.		
H315: Causes skin irritation.		
H315: Causes skin irritation. H318: Causes serious eye damage.		
H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation.		
H315: Causes skin irritation.H318: Causes serious eye damage.H319: Causes serious eye irritation.H336: May cause drowsiness or dizziness.		