

SAFETY DATA SHEET

JMS Saniphos

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. **Product identifier**

Trade name: JMS Saniphos Product no.: JMS0007

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or Cleaning product

mixture: Restricted to professional users.

Tn.= Use descriptors (UK REACH):

Product category	Description
PC 35	Washing and Cleaning
	Products (including solvent
	based products)

Uses other than those identified are not Uses advised against:

recommended

1.3. Details of the supplier of the safety data sheet

Company and address: **JMS Janitorial Supplies**

Unit 8, Astra Business Supplies

RH1 5TL Salfords

Surrey

01293783650

sales@jmsdirect.co.uk

Contact person: Sales

E-mail: sales@jmsdirect.co.uk

20/08/2025 Revision:

SDS Version: 2.0

Date of previous version: 20/03/2024 (1.0)

1.4. **▼** Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information

Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service) Scotland - Dial 111 to reach NHS 24 (24 hour service)



Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service) See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s):

T.

Signal word: Danger

Hazard statement(s): Causes severe skin burns and eye damage.

(H314)

Harmful to aquatic life with long lasting

effects. (H412)

Precautionary statement(s):

▼ *General:* Not applicable.

Prevention: Do not breathe vapour/mist. (P260)

Avoid release to the environment. (P273)

Wear protective gloves/protective

clothing/eye protection/face protection.

(P280)

Response: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with

water . (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

▼ Storage: Not applicable.

▼ *Disposal:* Dispose of contents/container in accordance

with local regulation.

(P501)

Hazardous substances: phosphoric acid ... %, orthophosphoric acid

. %

2,2'-(octadec-9-enylimino)bisethanol



Additional labelling:

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:

2.3. Other hazards

▼ Additional warnings:

Not applicable.

- < 5%
- · Anionic surfactants
- · Non-ionic surfactants

This mixture/product does not contain any substances known to fulfil the criteria for

PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation

(EU) 2023/707.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
phosphoric acid %, orthophosphoric acid %	CAS No.: 7664-38-2 EC No.: 231-633-2 UK-REACH: Index No.: 015-011-00-6	5-10%	Skin Corr. 1B, H314 (SCL: 25.00 %) Skin Irrit. 2, H315 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 10.00 %)	[1]
2,2'-(octadec-9- enylimino)bisethanol	CAS No.: 25307-17-9 EC No.: 246-807-3 UK-REACH: Index No.:	1-3%	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures



General information: In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink. Inhalation: Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her. **▼** Skin contact: Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment. Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention. Eye contact: If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport. In the case of ingestion, contact a doctor Ingestion: immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance. Burns: Not applicable.



4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO2)

5.3. ▼ Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 2X

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up



Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Keep only in original packaging.

Storage conditions: Dry, cool and well ventilated

Incompatible materials: Chlorine Based Bleaching Agents

Bases

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

phosphoric acid ... %, orthophosphoric acid ... % Long term exposure limit (8 hours) (mg/m³): 1 Short term exposure limit (15 minutes) (mg/m³): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

2,2'-(octadec-9-enylimino)bisethanol



Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	150 μg/kg bw/day
Long term – Systemic effects - Workers	Dermal	420 μg/kg bw/day
Long term – Systemic effects - General population	Inhalation	522 μg/m³
Long term – Systemic effects - Workers	Inhalation	2.96 mg/m³
Long term – Systemic effects - General population	Oral	150 μg/kg bw/day

phosphoric acid ... %, orthophosphoric acid ... %

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	360 μg/m³
Long term – Local effects - Workers	Inhalation	1 mg/m³
Long term – Systemic effects - General population	Inhalation	4.57 mg/m ³
Long term – Systemic effects - Workers	Inhalation	10.7 mg/m ³
Short term – Local effects - Workers	Inhalation	2 mg/m³
Long term – Systemic effects - General population	Oral	100 μg/kg bw/day

PNEC

2,2'-(octadec-9-enylimino)bisethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		160 ng/L
Freshwater sediment		1.692 mg/kg
Intermittent release (freshwater)		430 ng/L
Marine water		16 ng/L
Marine water sediment		169.2 μg/kg
Predators		2 mg/kg
Sewage treatment plant		1.5 mg/L
Soil		5 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food

is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios

implemented for this product.

Exposure limits: Professional users are subjected to the

legally set maximum concentrations for occupational exposure. See occupational

hygiene limit values above.



Appropriate technical measures: The formation of vapours must be kept at a

minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are

clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach. Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures: In between use of the product and at the

end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and

face.

Measures to avoid environmental exposure: Keep damming materials near the

workplace. If possible, collect spillage

during work.

Individual protection measures, such as personal protective equipment

Generally: Wash contaminated clothing before reuse.

Use only UKCA marked protective

equipment.

Respiratory Equipment:

Туре	Class	Colour	Standards	
Ensure there is sufficient ventilation.				

Skin protection:

Recommended	Type/Category	Standards	
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	•	-	P

Hand protection:

Material		Breakthrough time (min.)	Standards	
Gloves	-	> 360	EN374	



Eye protection:

Туре	Standards	
Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: Blue

Odour / Odour threshold: Characteristic

pH: <1

▼ Density (g/cm³): No data available.
 ▼ Kinematic viscosity: No data available.

Particle characteristics: Does not apply to liquids.

Phase changes

▼ *Melting point/Freezing point (°C):* No data available.

Softening point/range (°C): Does not apply to liquids.

▼ Boiling point (°C): No data available.
▼ Vapour pressure: No data available.
▼ Relative vapour density: No data available.
▼ Decomposition temperature (°C): No data available.

Data on fire and explosion hazards

▼ Flash point (°C): No data available.
▼ Flammability (°C): No data available.
▼ Auto-ignition temperature (°C): No data available.
▼ Lower and upper explosion limit (% v/v): No data available.

Solubility

Solubility in water: Completely soluble



▼ *n-octanol/water coefficient (LogKow):* No data available. ▼ *Solubility in fat (g/L):* No data available.

9.2. Other information

▼ Oxidizing properties: No data available.Other physical and chemical parameters: No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremes of temperature

Storage in the open is not recommended.

Sunlight

10.5. Incompatible materials

Chlorine Based Bleaching Agents

Bases

10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.



Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

▼ Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.



12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrinedisrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

▼ Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

▼ EWC code

Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
ADR		CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid %, orthophosphoric acid %, hydrogen chloride)	Transport hazard class: 8 Label: 8 Classification code: C1	III	No	Limited quantitie s: 5 L Tunnel restrictio n code: (E) See below for additiona



	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
						informati on.
IMDG	UN3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid %, orthophosphoric acid %, hydrogen chloride)	Transport hazard class: 8 Label: 8 Classification code: C1	III	No	Limited quantitie s: 5 L EmS: F-A S-B See below for additiona I informati on.
IATA	UN3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid %, orthophosphoric acid %, hydrogen chloride)	Transport hazard class: 8 Label: 8 Classification code: C1	III	No	See below for additiona I informati on.

^{*} Packing group

▼ Additional information

This product is within scope of the regulations of transport of dangerous goods. ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport. IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

Hazchem Code: 2X

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

^{**} Environmental hazards



Restrictions for application:

Restricted to professional users.

People under the age of 18 shall not be

exposed to this product.

Demands for specific education: No specific requirements.

Control of Major Accident Hazards (COMAH) -Not applicable.

Categories / dangerous substances:

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and

amended in UK law:

Additional information:

< 5%

· Anionic surfactants

· Non-ionic surfactants

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The Management of Health and Safety at

Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18

December 2014 on waste as retained and

amended in UK law.

Regulation (EC) No 1272/2008 on

classification, labelling and packaging of substances and mixtures (CLP) as retained

and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

Nο


Sources:

SECTION 16: OTHER INFORMATION

▼ Full text of H-phrases as mentioned in section 3

H302. Harmful if swallowed.

H314, Causes severe skin burns and eye damage.





H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

PC 35 = Washing and Cleaning Products (including solvent based products)

▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure



TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Anglian Chemicals

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en