

SAFETY DATA SHEET FLORAZOL LAVENDER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name FLORAZOL LAVENDER

Product No. A114 EV

Internal Id Janitorial - Housekeeping Section

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Deodoriser and Disinfectant with Bactericide.

1.3. Details of the supplier of the safety data sheet

Supplier Evans Vanodine International

Brierley Road Walton Summit Preston. PR5 8AH Tel: 01772 322 200 Fax: 01772 626 000

qclab@evansvanodine.co.uk

1.4. Emergency telephone number

New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri Technical Advice

8.30am to 4.45pm - 01772 318 818 - Mon to Fri

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xi;R36. F;R11.

2.2. Label elements

Labelling





Irritant Highly flammable

Risk Phrases

R11 Highly flammable R36 Irritating to eyes.

Safety Phrases

P14 Contains Coumarin, Geraniol. May produce an allergic

reaction

S2 Keep out of the reach of children.

S16 Keep away from sources of ignition - No smoking.

S25 Avoid contact with eyes.

S26 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

S46 If swallowed, seek medical advice immediately and show this

container or label.

S3/7

Keep container tightly closed in a cool place.

2.3. Other hazards

This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

ETHANOL		30-60%
CAS-No.: 64-17-5	EC No.: 200-578-6	
Classification (EC 1272/2008) Flam. Liq. 2 - H225		Classification (67/548/EEC) F;R11
PROPAN-2-OL		10-20%
CAS-No.: 67-63-0	EC No.: 200-661-7	Registration Number: 01-2119457558-25-xxxx
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336		Classification (67/548/EEC) F;R11 Xi;R36 R67
ALCOHOL (C9-11) ETHOXYLAT	E (8EO)	1-5%
CAS-No.: 68439-46-3	EC No.:	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318		Classification (67/548/EEC) Xn;R22. Xi;R41.
METHANOL		1-5%
CAS-No.: 67-56-1	EC No.: 200-659-6	
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370		Classification (67/548/EEC) F;R11 T;R23/24/25,R39/23/24/25
LINALOOL		1-5%
CAS-No.: 78-70-6	EC No.: 201-134-4	
Classification (EC 1272/2008) Skin Irrit. 2 - H315		Classification (67/548/EEC) Xi;R38.

ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE 1-5%

CAS-No.: 68424-85-1 EC No.: 270-325-2

Classification (EC 1272/2008) Classification (67/548/EEC)

Acute Tox. 4 - H302 Xn;R21/22.
Acute Tox. 4 - H312 C;R34.
Skin Corr. 1B - H314 N;R50.
Aquatic Acute 1 - H400

Coumarin 0-1%

CAS-No.: 91-64-5 EC No.: 202-086-7

Classification (EC 1272/2008) Classification (67/548/EEC)

Acute Tox. 4 - H302 Xn;R22. Skin Sens. 1 - H317 R43.

AMYL SALICYLATE 0-1%

CAS-No.: 2050-08-0 EC No.: 218-080-2

Classification (EC 1272/2008) Classification (67/548/EEC)

Aquatic Chronic 2 - H411 N;R51/53.

Geraniol 0-1%

CAS-No.: 106-24-1 EC No.: 203-377-1

Classification (EC 1272/2008) Classification (67/548/EEC)

Skin Irrit. 2 - H315 Xi;R41,R38.

Eve Dam. 1 - H318 R43.

Skin Sens. 1 - H317

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Not relevant. Inhalation unlikely. In case of inhalation of spray mist: Move person into fresh air and keep at rest.

Ingestion

DO NOT INDUCE VOMITING! Drink a few glasses of water or milk. Get medical attention.

Skin contact

Wash skin with soap and water.

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

Inhalation.

No specific symptoms noted.

Ingestion

May cause discomfort if swallowed.

Skin contact

No specific symptoms noted. But prolonged or excessively repeated skin contact could lead to removal of natural oils from skin.

Eye contact

May cause temporary eye irritation. Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Use: Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Unusual Fire & Explosion Hazards

May explode in a fire.

Specific hazards

When heated and in case of fire, harmful vapours/gases may be formed.

5.3. Advice for firefighters

Protective equipment for fire-fighters

Keep containers cool by spraying with water to reduce explosion risks. Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Do not smoke, use open fire or other sources of ignition. Avoid contact with eyes.

6.2. Environmental precautions

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Small quantities may be flushed to drains with plenty of water. Large Spillages: Pick up with vacuum or absorbent solid, store in closed container for disposal.

6.4. Reference to other sections

For personal protection, see section 8.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Eliminate all sources of ignition. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Usage Description

See Product Information Sheet & Label for detailed use of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
ETHANOL	WEL	1000 ppm	1920			
			mg/m3			
METHANOL	WEL	200	266	250	333	
		ppm(Sk)	mg/m3(Sk)	ppm(Sk)	mg/m3(Sk)	
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250	
					mg/m3	

WEL = Workplace Exposure Limit.

Ingredient Comments

STEL= Short-Term Exposure Limit (15 minute) & TWA = Time Weighted Average (8 hours).

8.2. Exposure controls

Engineering measures

Not relevant

Respiratory equipment

Respiratory protection not required.

Hand protection

No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin.

Eye protection

Eye protection recommended.

Other Protection

None required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Liquid
Colour Clear Yellow.
Odour Floral.

Solubility Forms an emulsion with water.

Initial boiling point and boiling 80

range

Melting point (°C) -5

Relative density 0.860 @ 20 °c

Flash point 20 Method: P/M Pensky-Martens.

Auto Ignition Temperature (° 425

C)

9.2. Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

No particular stability concerns.

10.3. Possibility of hazardous reactions

See sections 10.1, 10.4 & 10.5

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials To Avoid

No incompatible groups noted.

10.6. Hazardous decomposition products

No hazardous decomposition products.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

We have not carried out any animal testing, therefore we have no Toxicological Data specifically for this product. The Toxicological Data, where provided by the raw material manufacturer, can be made available on request.

Other Health Effects

Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract. Contains low levels of a senitiser, repeated skin contact may produce an allergic reaction.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Not regarded as dangerous for the environment.

12.1. Toxicity

We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Degradability

Surfactant is readily broken down by effluent treatment process.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

Not known.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Consign empty container to normal waste.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

 UN No. (ADR/RID/ADN)
 1987

 UN No. (ICAO)
 1987

14.2. UN proper shipping name

Proper Shipping Name FLAMMABLE LIQUID, N.O.S. (ethanol solution & isopropanol)

14.3. Transport hazard class(es)

ADR/RID/ADN Class

Class 3: Flammable liquids.

Class 3: Flammable liquids.

Class 3: Flammable liquids.

Class 3: Flammable liquids.

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing ||

group

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

EMS F-E, S-D Tunnel Restriction Code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant for packaged product.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or

mixture

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under CHIP Directive 1999/45/EEC Classification, Packaging & Labelling of Dangerous Preparations. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC - classification, packaging & labelling of dangerous substances & GHS/CLP-Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

15.2. Chemical Safety Assessment

Not applicable this product is a mixture.

SECTION 16: OTHER INFORMATION

Information Sources

Material Safety Data Sheet, Misc. manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. CHIP Class - Table 3.2 The list of harmonised classification and labelling of hazardous substances from Annex I to Directive 67/548/EEC.

Revision Comments

New Format Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). - No change in Product Classification - Main change is the move of Labelling elements from Section 15 to Section 2 & Section 3 now has a different layout for the Ingredients and lists their classification in both CHIP & CLP format.

Revision Date 01/10/12 **Revision** Issue 6

Safety Data Sheet Status The Risk Phrases / Hazard Statements listed below in this Section No 16 relate to

the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Risk Phrases / Hazard Statements relating to this Product see

Section 2.

Risk Phrases In Full

R34 Causes burns.

R22 Harmful if swallowed.

R21/22 Harmful in contact with skin and if swallowed.

R11 Highly flammable
R36 Irritating to eyes.
R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R41 Risk of serious damage to eyes.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in contact with

skin and if swallowed.

R67 Vapours may cause drowsiness and dizziness.

R50 Very toxic to aquatic organisms.

Hazard Statements In Full

Hazaru Statements III Full					
H370	Causes damage to organs << Organs>>.				
H318	Causes serious eye damage.				
H319	Causes serious eye irritation.				
H314	Causes severe skin burns and eye damage.				
H315	Causes skin irritation.				
H302	Harmful if swallowed.				
H312	Harmful in contact with skin.				
H225	Highly flammable liquid and vapour.				
H317	May cause an allergic skin reaction.				
H336	May cause drowsiness or dizziness.				
H331	Toxic if inhaled.				
H301	Toxic if swallowed.				
H311	Toxic in contact with skin.				
H411	Toxic to aquatic life with long lasting effects.				