

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : 70% / 30% ISOPROPANOL (I.P.A.) WIPES

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Cleaning wipe.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Allied Hygiene Systems Limited
Unit 5
Centurion Way, Erith
DA18 4AF London - United Kingdom
T +44(0)20 8310 4000 - F +44(0)20 8311 5566
admin@alliedhygiene.com

1.4. Emergency telephone number

Emergency number : +44(0)20 8310 4000

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, Category 1 H228
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Flammable solid. Causes serious eye irritation. May cause drowsiness or dizziness.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) : Danger
Hazardous ingredients : PROPAN-2-OL
Hazard statements (CLP) : H228 - Flammable solid.
H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing fume.
P264 - Wash hands thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
PROPAN-2-OL	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	70 - 80	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Get medical advice/attention if you feel unwell. If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Move to fresh air in case of accidental inhalation of vapours and keep comfortable for breathing.
First-aid measures after skin contact	: Take off contaminated clothing. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: As the substrate is a wipe material ingestion is highly unlikely but in the event do not induce vomiting and wash mouth out with water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause drowsiness or dizziness. There may be irritation of the throat with a feeling of tightness in the chest and cough.
Symptoms/effects after skin contact	: May cause slight irritation to the skin.
Symptoms/effects after eye contact	: Eye irritation. redness, itching, tears.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract. Ingestion may cause nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry chemical, CO ₂ , dry sand, or alcohol-resistant foam. Use extinguishing media appropriate for surrounding fire.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable solid.
Explosion hazard	: Product is not explosive.
Reactivity in case of fire	: None known.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire	: Evacuate area.
Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Ensure adequate ventilation. Avoid contact with eyes. Avoid inhalation of vapours.
------------------	--

6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Eliminate all ignition sources if safe to do so. Ventilate spillage area. Avoid contact with eyes. Avoid inhalation of vapours.

6.1.2. For emergency responders

Protective equipment	: Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Eliminate all ignition sources if safe to do so. Ventilate area. Avoid contact with eyes. Avoid inhalation of vapours.

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Pick up solid material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Use only non-sparking tools. Wash the spillage site with large amounts of water. This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure there is adequate ventilation. Avoid inhalation of vapours. Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container closed when not in use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible materials : Strong oxidizing agents.

Storage area : Store in a well-ventilated place. Keep away from ignition sources.

7.3. Specific end use(s)

Washing and cleaning products (including solvent based products).

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PROPAN-2-OL (67-63-0)

United Kingdom - Occupational Exposure Limits

Local name	Propan-2-ol
WEL TWA (mg/m ³)	999 mg/m ³
WEL TWA (ppm)	400 ppm
WEL STEL (mg/m ³)	1250 mg/m ³
WEL STEL (ppm)	500 ppm
Regulatory reference	EH40. HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation.

Personal protective equipment:

Gloves.

Materials for protective clothing:

Wear suitable working clothes

Hand protection:

Protective gloves. Standard EN 374 - Protective gloves against chemicals.

Eye protection:

Not required for normal conditions of use. Eye protection should only be necessary where liquid could be splashed or sprayed

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not necessary with sufficient ventilation

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Various.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 14 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable solid.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Insoluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Flammable solid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PROPAN-2-OL (67-63-0)	
LD50 oral rat	5045 mg/kg
LD50 oral	3600 mg/kg
LD50 dermal	12800
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600

Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Ecology - water	: No data available on ecotoxicity.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

PROPAN-2-OL (67-63-0)	
LC50 fish 1	9640
EC50 other aquatic organisms 1	13299 waterflea
EC50 other aquatic organisms 2	> 1000

12.2. Persistence and degradability

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Persistence and degradability	Not biodegradable.
-------------------------------	--------------------

12.3. Bioaccumulative potential

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Bioaccumulative potential	No bioaccumulation.
---------------------------	---------------------

PROPAN-2-OL (67-63-0)

Log Pow	0.05
---------	------

12.4. Mobility in soil

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Ecology - soil	No data available.
----------------	--------------------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects	: No known effects from this product.
Additional information	: Avoid release to the environment.

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: UN 3175
UN-No. (IMDG)	: UN 3175
UN-No. (IATA)	: UN 3175
UN-No. (ADN)	: UN 3175
UN-No. (RID)	: UN 3175

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Solids containing flammable liquid, n.o.s.
Proper Shipping Name (ADN)	: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (RID)	: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Transport document description (ADR)	: UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL), 4.1, II, (E)
Transport document description (IMDG)	: UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL), 4.1, II
Transport document description (IATA)	: UN 3175 Solids containing flammable liquid, n.o.s. (PROPAN-2-OL), 4.1, II
Transport document description (ADN)	: UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL), 4.1, II
Transport document description (RID)	: UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL), 4.1, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 4.1
Danger labels (ADR)	: 4.1



IMDG

Transport hazard class(es) (IMDG)	: 4.1
Danger labels (IMDG)	: 4.1



IATA

Transport hazard class(es) (IATA)	: 4.1
Hazard labels (IATA)	: 4.1



ADN

Transport hazard class(es) (ADN)	: 4.1
Danger labels (ADN)	: 4.1

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



RID

Transport hazard class(es) (RID) : 4.1
Danger labels (RID) : 4.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 216, 274, 601
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P002, IBC06, R001
Special packing provisions (ADR) : PP9
Mixed packing provisions (ADR) : MP11
Portable tank and bulk container instructions (ADR) : T3, BK1, BK2
Portable tank and bulk container special provisions (ADR) : TP33
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V11
Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP2
Hazard identification number (Kemler No.) : 40
Orange plates :



Tunnel restriction code (ADR) : E
EAC code : 1Z

Transport by sea

Special provisions (IMDG) : 216, 274
Packing instructions (IMDG) : P002
Special packing provisions (IMDG) : PP9
IBC packing instructions (IMDG) : IBC06
IBC special provisions (IMDG) : B21
Tank instructions (IMDG) : T3, BK2
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-I
Stowage category (IMDG) : B

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Properties and observations (IMDG) : Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and flammable liquids.

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y441
PCA limited quantity max net quantity (IATA) : 5kg
PCA packing instructions (IATA) : 445
PCA max net quantity (IATA) : 15kg
CAO packing instructions (IATA) : 448
CAO max net quantity (IATA) : 50kg
Special provisions (IATA) : A46
ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 216, 274, 601, 800
Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : B
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01, VE03
Provisions for inspection of holds during carriage (ADN) : IN01, IN02
Number of blue cones/lights (ADN) : 1
Additional requirements/Remarks (ADN) : VE03, IN01 and IN02 apply only when this substance is carried in bulk or without packaging

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 216, 274, 601
Excepted quantities (RID) : E2
Packing instructions (RID) : P002, IBC06, R001
Special packing provisions (RID) : PP9
Mixed packing provisions (RID) : MP11
Portable tank and bulk container instructions (RID) : T3, BK1, BK2
Portable tank and bulk container special provisions (RID) : TP33
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W1
Special provisions for carriage – Bulk (RID) : VC1, VC2, AP2
Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 40

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

70% / 30% ISOPROPANOL (I.P.A.) WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H228	Flammable solid.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product