



Printing date 21.07.2018 Revision: 18.07.2018

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: V-AIR SOLID - COOL MINT

· Article number: VA-18-903-EU

 $\cdot \textit{Relevant identified uses of the substance or mixture and uses advised against}$

No further relevant information available.

· Application of the substance / the mixture Air Freshener

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Vectair Systems Ltd Unit 3 Trident Centre Armstrong Road

Basingstoke, Hampshire RG24 8NU United Kingdom

emea. in fo@vectair systems. com

- · Further information obtainable from: Product safety department.
- Emergency telephone number: +44 (0) 1256-319500

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

trans-Anethole

Eucalyptus Oil (Eucalyptus Globulus Labille)

 $l\hbox{-} p\hbox{-} mentha\hbox{-} 1 (6), 8\hbox{-} dien\hbox{-} 2\hbox{-} one$

Benzyl salicylate

Coumarin

· Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

(Contd. on page 2)

Printing date 21.07.2018 Revision: 18.07.2018

Trade name: V-AIR SOLID - COOL MINT

(Contd. of page 1)

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- $\cdot \textit{\textbf{Description:}} \ \textit{Mixture of substances listed below with nonhazardous additions.}$

· Dangerous compone	ents:		
CAS: 119-36-8	methyl salicylate	≥2.5-<10%	
EINECS: 204-317-7	🗘 Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3, H412		
CAS: 88917-22-0	Dipropylene glycol monomethyl ether acetate	≥0.1-≤2.5%	
ELINCS: 406-880-6	🔷 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335		
CAS: 89-78-1	menthol	≥1-<2.5%	
EINECS: 201-939-0	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335; Aquatic Chronic 3, H412		
CAS: 112-27-6	Triethylene Glycol	<i>≥</i> 0.1- <i>≤</i> 2.5%	
EINECS: 203-953-2	♦ Skin Irrit. 2, H315	1	
CAS: 4180-23-8	trans-Anethole	≥1-<2.5%	
EINECS: 224-052-0	🕸 Aquatic Chronic 2, H411; 🔷 Skin Sens. 1, H317	1	
CAS: 8000-48-4	Eucalyptus Oil (Eucalyptus Globulus Labille)	≥0.25-<1%	
EINECS: 283-406-2	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317		
CAS: 6485-40-1	l-p-mentha-1(6),8-dien-2-one	≥0.1-<1%	
EINECS: 229-352-5	♦ Skin Sens. 1, H317	1	
CAS: 118-58-1	Benzyl salicylate	≥0.1-<0.25%	
EINECS: 204-262-9	🕸 Aquatic Chronic 2, H411; 🕸 Skin Sens. 1, H317	1	
CAS: 91-64-5	Coumarin	≥0.1-<1%	
EINECS: 202-086-7	♦ Skin Sens. 1, H317	1	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 21.07.2018 Revision: 18.07.2018

Trade name: V-AIR SOLID - COOL MINT

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 4)

Printing date 21.07.2018 Revision: 18.07.2018

Trade name: V-AIR SOLID - COOL MINT

(Contd. of page 3)

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 F	hysical	l and c	hemical	properties
-----	---------	---------	---------	------------

· Information on basic physical and chem	ical properties
General Information	
· Appearance:	
Form:	SEMI-SOLID
Colour:	Blue
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range.	:>100 °C
· Flash point:	>100 °C
· Flammability (solid, gas):	Not determined.
Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	>1 g/cm ³
· Relative density	Not determined.

(Contd. on page 5)

Printing date 21.07.2018 Revision: 18.07.2018

Trade name: V-AIR SOLID - COOL MINT

	(Contd. of	page 4
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	6.7 %	
Water:	14.6 %	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- $\cdot \textbf{\it Incompatible materials:} \ \textit{No further relevant information available}.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	0 value	es relevant for classification:
119-36-8	8 methy	yl salicylate
Oral	LD50	887 mg/kg (rat)
89-78-1	menth	ol
Oral	LD50	2,600 mg/kg (rat)
112-27-0	6 Trietl	hylene Glycol
Oral	LD50	17,000 mg/kg (rat)
4180-23	-8 tran	s-Anethole
Oral	LD50	2,090 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
8000-48	-4 Euc	alyptus Oil (Eucalyptus Globulus Labille)
Oral	LD50	2,480 mg/kg (rat)
Dermal	LD50	2,480 mg/kg (rabbit)
6485-40	-1 l-p-1	nentha-1(6),8-dien-2-one
Oral	LD50	1,640 mg/kg (rat)
91-64-5	Coum	arin
Oral	LD50	293 mg/kg (rat)
Duina arm	• •.	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

(Contd. on page 6)

Printing date 21.07.2018 Revision: 18.07.2018

Trade name: V-AIR SOLID - COOL MINT

(Contd. of page 5)

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

89-78-1 menthol

EC50 44.3 mg/kg (daphnia)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- $\cdot \textit{Other adverse effects} \ \textit{No further relevant information available}.$

13 Disposal considerations

- · Waste treatment methods
- · Waste Disposal Recommendations: Dispose in a safe manner in accordance with local/national regulations.
- · Additional Information:

Empty container and removable plastic components should be recycled or placed in waste in accordance with local regulation.

Ecology - waste materials: Avoid release to the environment, waste can be hazardous due to toxicity.

· UN-Number		
· ADR, ADN, IMDG, IATA	not regulated	
· UN proper shipping name		
· ADR, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	

on page /

Printing date 21.07.2018 Revision: 18.07.2018

Trade name: V-AIR SOLID - COOL MINT

(Contd. of page 6)

• Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- · Department issuing SDS: Product safety department.
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

 $vPvB: \ very \ Persistent \ and \ very \ Bioaccumulative$

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

 $A quatic\ Chronic\ 3:\ Hazardous\ to\ the\ aquatic\ environment\ -\ long-term\ aquatic\ hazard\ -\ Category\ 3$