



Printing date: 21.06.2019 Revision date: 21.06.2019

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: V-SCREEN WHITE OCEAN SPRAY
- · Article number: V-SCREEN WHITE
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Air Freshener
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Vectair Systems Ltd

Unit 3 Trident Centre

Armstrong Road

Basingstoke, Hampshire

RG24 8NU United Kingdom

emea.info@vectairsystems.com

- · Further information obtainable from: Product safety department.
- Emergency telephone number: +44 (0) 1256-319500 (Office hours 09:00-17:00hrs)

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

4-tert-butylcyclohexyl acetate

Eucalyptus Oil (Eucalyptus Globulus Labille)

(E)-3-methyl-4-(2,6,6-trimethyl-1-cyclohex-2-enyl)but-3-en-2-one 2-

(phenylmethylidene)octanal

Linalool

 $1\hbox{-}(2,3,8,8\hbox{-}tetramethyl-1,3,4,5,6,7\hbox{-}hexahydronaphthalen-2-yl) ethan one$

benzyl 2-hydroxybenzoate

citrus limon l. burm. f. peel oil c.p.

· Hazard statements

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date: 21.06.2019 Revision date: 21.06.2019

Trade name: V-SCREEN WHITE OCEAN SPRAY

- Precautionary statements

(Contd. of page 1)

P102 Keep out of reach of children.

P103 Read label before use.P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 32210-23-4	4-tert-butylcyclohexyl acetate	≥ 2.5-<10%
EINECS: 250-954-9	① Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 103-23-1	Di-(2-ethylhexyl) adipate	≥ 2.5-<10%
EINECS: 203-090-1	③ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 8000-48-4	Eucalyptus Oil (Eucalyptus Globulus Labille)	≥1-<2.5%
EINECS: 283-406-2	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 127-51-5	(E)-3-methyl-4-(2,6,6-trimethyl-1-cyclohex-2-enyl)but-3-en-2-one	<i>≥</i> 1-<2.5%
EINECS: 204-846-3	🚱 Aquatic Chronic 2, H411; 🐧 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 101-86-0	2-(phenylmethylidene)octanal	<i>≥</i> 1-<2.5%
EINECS: 202-983-3	Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 78-70-6	Linalool	≥0.1-<1%
EINECS: 201-134-4	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 1222-05-5	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	≥0.025-<0.25%
EINECS: 214-946-9	🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 54464-57-2	1-(2,3,8,8-tetramethyl-1,3,4,5,6,7-hexahydronaphthalen-2-yl)	≥0.1-<0.25%
EINECS: 259-174-3	ethanone	
	Aquatic Chronic 2, H411; 🔷 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 118-58-1	benzyl 2-hydroxybenzoate	≥0.1-<1%
EINECS: 204-262-9	♦ Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 8008-56-8	citrus limon l. burm. f. peel oil c.p.	≥0.1-<0.25%
EINECS: 284-515-8	♠ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♠ Skin Irrit. 2, H315; Eye Irrit. 2,	
	H319; Skin Sens. 1, H317	
CAS: 68647-72-3	Orange Terpenes	≥0.025-<0.25%
EINECS: 232-433-8		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date: 21.06.2019 Revision date: 21.06.2019

Trade name: V-SCREEN WHITE OCEAN SPRAY

(Contd. of page 2)

4 First aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date: 21.06.2019 Revision date: 21.06.2019

Trade name: V-SCREEN WHITE OCEAN SPRAY

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

Physican	anda	ACTION	nwanawti	00
9 Physical		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
> I IV y D V C CV	culture C	voii voi	properto	$\boldsymbol{\sigma}$

· Information on basic physical a	nd chemical properties
· General Information	
· Appearance:	

Form: Solid
Colour: Transparent
Odour: Floral

· Odour threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** >100 °C

• Flash point: >75 °C

· Flammability (solid, gas): Not determined.

• Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

· Vapour pressure: Not applicable. Not determined.

• **Density:** 0.772 g/cm³

• Relative density Not determined.

(Contd. on page 5)

Printing date: 21.06.2019 Revision date: 21.06.2019

Trade name: V-SCREEN WHITE OCEAN SPRAY

		(Contd. of page
· Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.1 %	
VOC (EC)	8.50 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- $\cdot \textit{Reactivity No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:		
103-23-	103-23-1 Di-(2-ethylhexyl) adipate		
Oral	LD50	9,110 mg/kg (rat)	
Dermal	LD50	8,410 mg/kg (rabbit)	
32210-2	32210-23-4 4-tert-butylcyclohexyl acetate		
Oral	LD50	5,000 mg/kg (rat)	
8000-48	-4 Euc	alyptus Oil (Eucalyptus Globulus Labille)	
Oral	LD50	2,480 mg/kg (rat)	
Dermal	LD50	2,480 mg/kg (rabbit)	
127-51-	127-51-5 (E)-3-methyl-4-(2,6,6-trimethyl-1-cyclohex-2-enyl)but-3-en-2-one		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
101-86-	101-86-0 2-(phenylmethylidene)octanal		
Oral	LD50	2,300 mg/kg (mouse)	
		3,100 mg/kg (rat)	
54464-5	7-2 1-(2,3,8,8-tetramethyl-1,3,4,5,6,7-hexahydronaphthalen-2-yl)ethanone	
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
78-70-6	78-70-6 Linalool		
Oral	LD50	2,790 mg/kg (rat)	
Dermal	LD50	5,610 mg/kg (rabbit)	
		(Contd. on page 6	

Contd. on page 6

Printing date: 21.06.2019 Revision date: 21.06.2019

Trade name: V-SCREEN WHITE OCEAN SPRAY

(Contd. of page 5)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

103-23-1 Di-(2-ethylhexyl) adipate

EC50 0.66 mg/kg (daphnia)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Waste Disposal Recommendations:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

14 Transport information · UN-Number · ADR, ADN, IMDG, IATA not regulated · UN proper shipping name · ADR, ADN, IMDG, IATA not regulated · Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class not regulated · Packing group · ADR, IMDG, IATA not regulated · Environmental hazards: Not applicable.

(Contd. on page 7)

Printing date: 21.06.2019 Revision date: 21.06.2019

Trade name: V-SCREEN WHITE OCEAN SPRAY

(Contd. of page 6)

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of Marpol

and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3