

Revision: 07.08.2018

Printing date 26.04.2019

Version number 9

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: RM 69 ASF
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Distributor:

Kärcher (UK) Ltd.

Kärcher House

Brookhill Way

Banbury

Oxon OX16 3ED

Great Britain

Tel.: +44-1295-752-000 *Fax*: +44-1295-752-103

· Further information obtainable from:

Department PCD-D Tel.: +49-7195-14-2548 Fax: +49-7195-14-3164 safetydata@karcher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- \cdot 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



(Contd. of page 1)

Printing date 26.04.2019 Version number 9 Revision: 07.08.2018

Trade name: RM 69 ASF

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling:

isotride can ole thoxylate + 8 EO

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB:

541-02-6 decamethylcyclopentasiloxane

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

CAS: 111-76-2	2-butoxyethanol	≥5-<10%
EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-XXXX	♠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 111905-53-4 Reg.nr.: 02-2119552554-37-XXXX	aliphatic alcohols, C12-C18, mainly linear, ethoxylated, butoxylated Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%
CAS: 69011-36-5 EC number: 931-138-8 Reg.nr.: 02-2119552461-55-XXXX	isotridecanolethoxylate + 8 EO ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	1-5%

,c 3)



Printing date 26.04.2019 Version number 9 Revision: 07.08.2018

Trade name: RM 69 ASF

CAS: 15763-76-5	sodium p-cumenesulphonate	1-5%
EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	🗘 Eye Irrit. 2, H319	
CAS: 541-02-6 EINECS: 208-764-9 Reg.nr.: 01-2119511367-43-0000	decamethylcyclopentasiloxane non-classified vPvB substance	0.1-1%
· SVHC 541-02-6 decamethylcyclopentasil	oxane	
· Regulation (EC) No 648/2004 on a	letergents / Labelling for contents	
non-ionic surfactants, anionic surfactants		<5%
perfumes		

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

- After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Corneal damage
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB



Printing date 26.04.2019 Version number 9 Revision: 07.08.2018

Trade name: RM 69 ASF

(Contd. of page 3)

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid contact with eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Keep away from food, beverages and feed.

- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

(Contd. on page 5)



Printing date 26.04.2019 Version number 9 Revision: 07.08.2018

Trade name: RM 69 ASF

(Contd. of page 4)

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable:
- * butyl rubber 0,7 mm, 480 min (EN 374)
- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR

· Eye protection:



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Fluid Colour: Blue

Odour: CharacteristicOdour threshold: Not determined.

• pH-value at 20 °C: 12.4
 • pH 1 % dem. 11.0

· Change in condition

Melting point/freezing point: 0 °C Initial boiling point and boiling range: 100 °C

· Flash point: Not applicable

(Contd. on page 6)



Printing date 26.04.2019 Version number 9 Revision: 07.08.2018

Trade name: RM 69 ASF

	(Contd. of page
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	not applicable
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.026 g/cm³
Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic at 20 °C:	3.3 mPas
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	5.0 %
VOC (EC)	5.00 %
Solids content:	9.3 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

 $No\ decomposition\ if\ used\ according\ to\ specifications.$

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- \cdot 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

GB -



Printing date 26.04.2019 Version number 9 Revision: 07.08.2018

Trade name: RM 69 ASF

(Contd. of page 6)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 1	values i	relevant for classification:
111-76-2 2	-butox	yethanol
		1,746 mg/kg (Rat)
Inhalative	LCLo	>3.1 ppm (consumer)
69011-36-5	5 isotri	decanolethoxylate + 8 EO
Oral	ATE	500 mg/kg (Rat)
		thylcyclopentasiloxane
		>15,000 mg/kg (Rat)
Inhalative	LC50	>5,000 mg/kg (Rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

EpiDerm

Causes skin irritation.

· Serious eye damage/irritation

BCOP (OECD 437)

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxic	ity:	
111-76-2 2-bi	utoxyethanol	
LC50/96 h	1,474 mg/l (Oncorhynchus mykiss) (OECD 203)	
EC50/48 h	1,550 mg/l (Daphnia magna) (OECD 202)	
EC50/72 h	1,840 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
EC0 (16 h)	700 mg/l (Pseudomonas putida)	
NOEL (21 d)	100 mg/l (Daphnia magna) (OECD 211)	
69011-36-5 is	sotridecanolethoxylate + 8 EO	
LC50/96 h	1-10 mg/l (Leuciscus idus)	
EC50/48 h	1-10 mg/l (Aquatic invertebrates)	
EC50/72 h	1-10 mg/l (Aquatic plants)	
		(Contd. on page

on page



Printing date 26.04.2019 Version number 9 Revision: 07.08.2018

Trade name: RM 69 ASF

(Contd. of page 7)

· 12.2 Persistence and degradability

69011-36-5 isotridecanolethoxylate + 8 EO

Bismuth-act. sup. ≥90 % (mod. OECD 301 E)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · COD-value: 255000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB:

541-02-6 decamethylcyclopentasiloxane

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.

(Contd. on page 9)



Printing date 26.04.2019 Version number 9 Revision: 07.08.2018

Trade name: RM 69 ASF

(Contd. of page 8)

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

		_
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· ADR, ADN, IMDG, IATA	voiu	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Anna	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

(Contd. on page 10)



Printing date 26.04.2019 Version number 9 Revision: 07.08.2018

Trade name: RM 69 ASF

(Contd. of page 9)

H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled.

· Department issuing SDS: PCD-D

· Contact:

Department PCD-D Tel.: +49-7195-14-2548 Fax: +49-7195-14-3164 safetydata@karcher.com

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* * Data compared to the previous version altered.

0.011-367.0

RM 69/19

2.189

GB